



# Medrol Dosepak Charting

## Writing the Medrol Dosepak Template


1. From the *Nurse Access* menu, click **Physician Orders**, then click **Medications**.
2. Select the desired name and click **OK** to load the Medications charting screen.
3. The *Medication Templates* screen will appear. Click **Medrol Dosepak** to trigger the template to automatically write an order for MethylPREDNISolone Therapy Pack.




4. The template will begin documenting the order information. A pop-up for *DAY 1* will require you to click **OK**, then a date box is generated. Select the date of the **first day** the medication is to be given to the resident.






5. Next, an Indication box will pop-up. Select the current drug indication and click **OK**.




6. The order will continue to write with pop-ups indicating the day. Repeat steps 3 and 4 through the six days, being sure to update the date based on the Day #.







- Next, a pop-up will prompt to choose the Provider ordering the medications. If there is a Primary Physician charted on the resident's Face Sheet, their primary physician will automatically populate. Users are able to search for any other physicians in ECS. Select the appropriate doctor, and click **OK**.




- A pop-up box will then prompt administration instructions. Select the appropriate answer and click **OK**.




- A pop-up will prompt for desired Pharmacy. If there is a preferred Pharmacy charted on the resident's Face Sheet, this will automatically populate. Users are able to search for any other pharmacies in ECS. Select the appropriate pharmacy, and click **OK**.



10. **NOTE:** If there is a watermark in the middle entry editing panel, check for any warnings or medical indications by clicking on Details on the left side panel.



- This will show any potential drug interactions or allergies




11. Click **Save** or **Sign** to complete the order for the Medrol Dosepak.

**\*\*\*NOTE\*\*\***


It is important that the user does not click *CANCEL* on any pop-ups at any point during the entry writing process. Clicking *CANCEL* on a pop-up will stop the template from continuing to write the order and the user will be left with an incomplete order.

## Checking the MAR


- From the *Nurse Access* menu, click **eMAR/eTAR**, then select **All Meds**.
- Select the desired name and click **OK** to load the Sign task.
- It may be necessary to change the dates on the Sign task in order to view and verify all entries. Click on **Dates** and select the appropriate date range for the Medrol Dosepak.



- If only the present day's orders show on the MAR, click **Tasks**, and check the box next to "Show All Entries." This will show all active and Discontinued entries for this resident.



- Alternatively, the task can be set up to always show all active orders. Click **Tasks**, then **Edit**. Uncheck the box next to "Show Open Entries Only" and click OK. This will save the task to show all active entries each time the task is loaded.



6. The split order will look like this:

The screenshot shows a medical software interface for a patient named Jerry N. Ben. The patient's allergies are listed as Penicillins. The medication orders are as follows:

Drug	Dose	For	Frequency	Time	August 2024	September 2024
methypREDNISolone 4MG Tablet Therapy Pack	(2 tablet / 8mg)	Acute Leukemia	twice per day	Breakfast (before breakfast)HS	Aug 29, 30, 31	Sep 1, 2, 3, 4, 5, 6, 7
methypREDNISolone 4MG Tablet Therapy Pack	(1 tablet / 4mg)	Acute Leukemia	three times per day	Breakfast (before breakfast)Midday (after lunch)Supper (after supper)	Aug 29, 30, 31	Sep 1, 2, 3, 4, 5, 6, 7
methypREDNISolone 4MG Tablet Therapy Pack	(1 tablet / 4mg)	Acute Leukemia	four times per day	Breakfast (before breakfast)Midday (after lunch)Supper (after supper)HS	Aug 29, 30, 31	Sep 1, 2, 3, 4, 5, 6, 7
methypREDNISolone 4MG Tablet Therapy Pack	(1 tablet / 4mg)	Acute Leukemia	three times per day	Breakfast (before breakfast)Midday (after lunch)HS	Aug 29, 30, 31	Sep 1, 2, 3, 4, 5, 6, 7
methypREDNISolone 4MG Tablet Therapy Pack	(1 tablet / 4mg)	Acute Leukemia	twice per day	Breakfast (before breakfast)HS	Aug 29, 30, 31	Sep 1, 2, 3, 4, 5, 6, 7
methypREDNISolone 4MG Tablet Therapy Pack	(1 tablet / 4mg)	Acute Leukemia	daily	Breakfast (before breakfast)	Aug 29, 30, 31	Sep 1, 2, 3, 4, 5, 6, 7
methypREDNISolone 4MG Tablet Therapy Pack	(1 tablet / 4mg)	Acute Leukemia	twice per day	Midday (after lunch)Supper (after supper)	Aug 29, 30, 31	Sep 1, 2, 3, 4, 5, 6, 7
methypREDNISolone 4MG Tablet Therapy Pack	(2 tablet / 8mg)	Acute Leukemia	daily	HS	Aug 29, 30, 31	Sep 1, 2, 3, 4, 5, 6, 7

7. Sign medications out as usual on the MAR.